

## Declaration of Performance

According to Construction Products Regulation EU N.305/2011

No: 076CPR05-02-2024

1. Unique identification code of the product type:

Tee Grid Profile T 24

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

T/24 MM

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by manufacturer:

Galvanised steel profiles for mineral tiles ceiling systems

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Security Aluminum Hellas S.A., 76, Agias Annis Str., 12241 Egaleo, Athens, Greece

Trade name: Safe-Lock

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

The manufacturer has performed the initial Type Testing in accordance with the European Standard EN 13964:2014 under System 4. Factory production control meets quality system certified to EN ISO 9001:2015 taking into account the requirements of EN 13964:2014.

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

EN 13964:2014 – Suspended ceilings

9. Declaration of performance:

Essential Characteristics	Performance	Harmonised Technical Specification
Galvanized steel & Thickness	Passed	EN 10143:2006
Zinc coating	Z 100 gr/m <sup>2</sup>	EN 10326/10327:2004
Reaction to fire	Class A1	EN 13964:2014
Durability	Class B	EN 13964:2014
Deflection	Class 1	EN 13964:2014
Width of T/24 profile	24 mm	EN 13964:2014
Height of T/24/38 profile	38 mm	EN 13964:2014
Height of T/24/30 profile	30 mm	EN 13964:2014
Height of T/24/28 profile	28 mm	EN 13964:2014
Length of T/24/38/3700 profile	3.700 mm	EN 13964:2014
Length of T/24/38/1200 profile	1.200 mm	EN 13964:2014
Length of T/24/38/600 profile	600 mm	EN 13964:2014
Length of T/24/30/1200 profile	1.200 mm	EN 13964:2014
Length of T/24/30/600 profile	600 mm	EN 13964:2014
Length of T/24/28/600 profile	600 mm	EN 13964:2014


10. The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued in accordance with Regulations (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for the manufacturer by:

Danae Petroula

Managing Director

Egaleo, 05/02/2024





Address: 76 Agias Annis Str. , Zip code: 122 41 , Egaleo , Athens , Greece  
Telephone: +30 210 3450221 , Fax: +30 210 3422519  
<http://www.security-aluminum.com> e-mail: [info@security-aluminum.gr](mailto:info@security-aluminum.gr)

## Declaration of Performance

According to Construction Products Regulation EU N.305/2011

No: 077CPR05-02-2024

1. Unique identification code of the product type:

Tee Grid Profile T 15

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

T/15 MM

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by manufacturer:

Galvanized steel profiles for mineral tiles ceiling systems

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Security Aluminum Hellas S.A., 76, Agias Annis Str., 12241 Egaleo, Athens, Greece

Trade name: Safe-Lock

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

The manufacturer has performed the initial Type Testing in accordance with the European Standard EN 13964:2014 under System 4. Factory production control meets quality system certified to EN ISO 9001:2015 taking into account the requirements of EN 13964:2014.

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

EN 13964:2014 – Suspended ceilings

9. Declaration of performance:

Essential Characteristics	Performance	Harmonised Technical Specification
Galvanized steel & Thickness	Passed	EN 10143:2006
Zinc coating	Z 100 gr/m2	EN 10326/10327:2004
Reaction to fire	Class A1	EN 13964:2014
Durability	Class B	EN 13964:2014
Deflection	Class 1	EN 13964:2014
Width of T/15 profile	15 mm	EN 13964:2014
Height of T/15/38 profile	38 mm	EN 13964:2014
Length of T/15/38/3700 profile	3.700 mm	EN 13964:2014
Length of T/15/38/1200 profile	1.200 mm	EN 13964:2014
Length of T/15/38/600 profile	600 mm	EN 13964:2014


10. The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued in accordance with Regulations (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for the manufacturer by:

Danae Petroula

Managing Director

Egaleo, 05/02/2024



## Declaration of Performance

According to Construction Products Regulation EU N.305/2011

No: 078CPR05-02-2024

1. Unique identification code of the product type:

Wall Angle Profile

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

L/3000 MM

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by manufacturer:

Galvanized steel profiles for mineral tiles ceiling systems

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Security Aluminum Hellas S.A., 76, Agias Annis Str., 12241 Egaleo, Athens, Greece

Trade name: Safe-Lock

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

The manufacturer has performed the initial Type Testing in accordance with the European Standard EN 13964:2014 under System 4. Factory production control meets quality system certified to EN ISO 9001:2015 taking into account the requirements of EN 13964:2014.

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

EN 13964:2014 – Suspended ceilings

9. Declaration of performance:

Essential Characteristics	Performance	Harmonised Technical Specification
Galvanized steel & Thickness	Passed	EN 10143:2006
Zinc coating	Z 100 gr/m <sup>2</sup>	EN 10326/10327:2004
Reaction to fire	Class A1	EN 13964:2014
Durability	Class B	EN 13964:2014
Deflection	Class 1	EN 13964:2014
Length of L/3000	3.000 mm	EN 13964:2014
Width of L/24/24/3000 profile	24 mm	EN 13964:2014
Height of L/24/24/3000 profile	24 mm	EN 13964:2014
Width of L/19/24/3000 profile	24 mm	EN 13964:2014
Height of L/19/24/3000 profile	19 mm	EN 13964:2014
Width of L/19/19/3000 profile	19 mm	EN 13964:2014
Height of L/19/19/3000 profile	19 mm	EN 13964:2014

10. The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued in accordance with Regulations (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for the manufacturer by:

Danae Petroula

Managing Director

Egaleo, 05/02/2024

